

Bohemian knotweed

Polygonum xbohemicum

Description

Hybrid cross between Japanese knotweed (*Polygonum cuspidatum*) and Giant knotweed (*Polygonum sachalinensis*).

Habit

Stout perennial; grows from 6-12 ft (1.8-3.7 m) tall.

Leaves

Blades ovate, 5-25 cm long and 2-10 cm wide, with rounded apex with abruptly pointed tip and truncate to cordate base; lower veins with short (<0.1 mm), pointed hairs; entire margins.

Stems

Erect; clustered and glabrous.

Flowers

Clusters of flowers often with fewer branches,



white to pink in color, 0.16-0.24 in (4-6 mm),

tepals are obovate to elliptic, and apex is obtuse

to acute

Fruits and Seeds

Dark brown in color, shiny, 0.08-0.12 in (2-3 mm) long, smooth and three sided with flat wings that are 0.06-0.08 in (1.5-2.1 mm) wide.

Habitat

Native to Asia. Found in disturbed sites such as fields and pastures, wastelands and roadsides.

Reproduction

Mostly vegetatively from rhizomes and by seed. Each node on the plant stock is able to produce roots and new plants. New plants can sprout from small fragments.

Similar

Japanese knotweed (*Polygonum cuspidatum*).

Monitoring and Rapid Response

Mowing or cutting plant shoots is ineffective alone; however mowing followed by herbicide treatments will provide some control. Grubbing out small clumps when discovered can prevent new colonies from establishing. Entire root system must be removed. Currently no registered biological control agents for use on this species.

Credits

The information provided in this factsheet was gathered from the U.S. Forest Service. Individual species images that appear with a number in a black box are courtesy of the Bugwood.org network

(<http://www.invasive.org>). Individual photo author credits may not be included due to the small display size of the images and subsequent difficulty of reading the provided text. All other images appear courtesy of Google (<http://images.google.com>).