

## Wild mustard

### *Sinapis arvensis*

#### Description

#### Habit

Annual, growing up to 1-3 ft. tall and branching occasionally.


#### Leaves

1.5-7 in. long, 0.5-2 in. wide, irregularly toothed, mostly hairless, broadly oval to egg-shaped.

Lower leaves are stalked with 1-3 pairs of irregular lobes becoming stalkless and unlobed in the upper branches.

#### Stems

Green or with reddish pigmentation especially near leaf axils, erect, amply branched, mostly smooth except for scattered, coarse hairs, more dense on mid-lower stems.





### **Flowers**

Elongated clusters, tightly packed, short-stalked, borne at the end of branching stems, yellow in color, 1/2 in. across, 4 petals, 6 yellow stamen in the middle.

### **Fruits and Seeds**

Slender, round, 1/2 to 1.5 in. pod, beak at the tip. Seeds are round, small, less than 1/10 in. in diameter, dark brown to black, brown or reddish in color.

### **Habitat**

Native to Eurasia. Found in disturbed places such as roadsides, fields, railroads, dumps, shores, yards and gardens, and fencerows.

### **Reproduction**

By seed and vegetatively.


### **Similar**

Can be easily distinguished from other mustard (*Sinapis* spp. / *Brassica* spp.) species by the presence of reddish purple rings or patches at the junction of its stems.

### **Monitoring and Rapid Response**

### **Credits**

The information provided in this factsheet was gathered from Minnesota Wildflowers and Michigan Flora. Individual species images that appear with a number in a black box are courtesy of the



Bugwood.org network (<http://www.invasive.org>). Individual photo author credits may not be included due to the small display size of the images and subsequent difficulty of reading the provided text. All other images appear courtesy of Google (<http://images.google.com>).